




球阀

BALL VALVE

产 / 品 / 规 / 格 / 书

Product Specification




上海伟伦阀门集团有限公司

SHANGHAI WEILUN VALVE GROUP CO.,LTD

上装固定球阀

Top Entry Trunnion Mounted Ball Valve

外形尺寸 Outline Dimension



CALSS 150 BTT-150

NPS	d	L(RF)	L(RTJ)	L(BW)	H	H1	H	H1	W
					蜗轮操作 Worm gear operation		手动 Manual		
2"	49	292	295	292	-	-	218	110	400
2.5"	62	330	333	330	-	-	245	110	500
3"	74	356	359	356	-	-	292	110	750
4"	100	432	435	432	310	175			
6"	150	559	562	559	340	195			
8"	201	660	664	660	405	200			
10"	252	787	791	787	465	105			
12"	303	838	841	838	607	320			
14"	334	889	892	889	650	340			
16"	385	991	994	991	678	410			
18"	436	1092	1095	1092	720	445			
20"	487	1194	1200	1194	780	510			
22"	538	1295	1305	1295	820	580			
24"	589	1397	1407	1397	905	640			
28"	684	1549	1562	1549	960	725			
30"	735	1651	1664	1651	1042	825			

上装固定球阀

Top Entry Trunnion Mounted Ball Valve

CLASS 300 BTT-300

NPS	d	L(RF)	L(RTJ)	L(BW)	H	H1	H	H1	W
					蜗轮操作	Worm gear operation	手动 Manual		
2"	49	292	295	292	-	-	218	110	400
2.5"	62	330	333	330	-	-	245	110	500
3"	74	356	359	356	-	-	292	110	750
4"	100	432	435	432	310	175			
6"	150	559	562	559	340	195			
8"	201	660	664	660	405	200			
10"	252	787	791	787	465	105			
12"	303	838	841	838	607	320			
14"	334	889	892	889	650	340			
16"	385	991	994	991	678	410			
18"	436	1092	1095	1092	720	445			
20"	487	1194	1200	1194	780	510			
22"	538	1295	1305	1295	820	580			
24"	589	1397	1407	1397	905	640			
28"	684	1549	1562	1549	960	725			
30"	735	1651	1664	1651	1042	825			

CLASS 600 BTT-600

NPS	d	L(RF)	L(RTJ)	L(BW)	H	H1	H	H1	W
					蜗轮操作	Worm gear operation	手动 Manual		
2"	49	292	295	292	-	-	218	110	400
2.5"	62	330	333	330	-	-	245	110	500
3"	74	356	359	356	292	110			
4"	100	432	435	432	310	175			
6"	150	559	562	559	340	195			
8"	201	660	664	660	405	200			
10"	252	787	791	787	465	105			
12"	303	838	841	838	607	320			
14"	334	889	892	889	650	340			
16"	385	991	994	991	678	410			
18"	436	1092	1095	1092	720	445			
20"	487	1194	1200	1194	780	510			
22"	538	1295	1305	1295	820	580			
24"	589	1397	1407	1397	905	640			
28"	684	1549	1562	1549	960	725			
30"	735	1651	1664	1651	1042	825			

上装固定球阀

Top Entry Trunnion Mounted Ball Valve

CLASS 900 BTT-900

NPS	d	L(RF)	L(RTJ)	L(BW)	H	H1
					蜗轮操作 Worm gear operation	
2"	49	368	371	368	119	120
2.5"	62	419	422	419	130	120
3"	74	381	384	381	145	130
4"	100	457	460	457	169	175
6"	150	610	613	610	410	220
8"	201	737	740	737	464	260
10"	252	838	841	838	572	310
12"	303	965	968	965	642	410
14"	322	1029	1038	1029	745	483
16"	373	1130	1140	1130	797	560
18"	423	1219	1232	1219	901	635
20"	471	1321	1334	1321	920	705
24"	570	1549	1567	1549	953	650
28"	665	1753	1775	1753	1080	865
30"	712	1880	1902	1880	1195	925

CLASS 1500 BTT-1500

NPS	d	L(RF)	L(RTJ)	L(BW)	H	H1
					蜗轮操作 Worm gear operation	
2"	49	368	371	368	205	120
2.5"	62	419	422	419	205	120
3"	74	470	473	470	210	125
4"	100	546	549	546	245	160
6"	144	705	711	705	335	255
8"	192	832	841	832	427	340
10"	239	991	1000	991	502	381
12"	287	1130	1146	1130	533	438

上海伟伦阀门集团有限公司

Shanghai Weilun Valve Group Co., Ltd

电话: + (86) 21 62608686

传真: + (86) 21 63030787

地址: 上海市普陀区中山北路2911号中关村科技大厦26楼。

邮编: 200063

联系邮箱: sales@weilunnc.com

Tel: + (86) 21 62608686

Fax: + (86) 21 63030787

Add: 26th Floor, No.2911, North Zhongshan Rd, Shanghai, P.R.China

Zip code: 200063

Email: sales@weilunnc.com